ELSEVIER

Volume 314, Numbers 1–2, 16 January 2001

Journal of
ALLOYS
AND COMPOUNDS

www.elsevier.com/locate/jallcom

Contents

Physics

Magnetic structure of Tb_2CuIn_3 1
I.M. Siouris, I.P. Semitelou, J.K. Yakinthos (Xanthi, Greece), W. Schäfer (Bonn, Germany) and R.R. Arons (Jülich, Germany)

Surface electronic structure of UGa_3 films 7
T. Gouder (Karlsruhe, Germany), L. Havela (Karlsruhe, Germany and Prague, Czech Republic), M. Diviš (Prague, Czech Republic), J. Rebizant (Karlsruhe, Germany), P.M. Oppeneer and M. Richter (Dresden, Germany)

Effect of quenching on magnetic properties of polycrystalline $Pr_{0.5}Sr_{0.5}MnO_3$ perovskite manganite 15
W. Boujelben, A. Cheikh-Rouhou (Sfax, Tunisie), J. Pierre (Grenoble, France) and J.C. Joubert (Saint Martin d'Hères, France)

Metal–semiconductor–insulator transitions in R_3Ni compounds induced by hydrogenation 22
S.A. Nikitin (Moscow, Russia and Wroclaw, Poland), N.V. Tristan, T. Palewski, Yu.V. Skourski (Wroclaw, Poland), K. Nenkov (Wroclaw, Poland and Dresden, Germany), V.N. Verbetsky and A.A. Salamova (Moscow, Russia)

Magnetism in $R_3Co_8Sn_4$ compounds (R=Pr, Nd, Sm) 29
F. Canepa, M. Napoletano, P. Manfrinetti and S. Cirafici (Genova, Italy)

A specific-heat study of RCr_4Al_8 compounds (R=La, Ce, Pr, Gd, Er) 37
I.H. Hagmusa, J.C.P. Klaasse, E. Brück, F.R. de Boer and K.H.J. Buschow (Amsterdam, The Netherlands)

Magnetic study of $HfFe_6Ge_6$-type solid solutions $RMn_6Ge_{6-x}Ga_x$ (R=Dy, Ho, Er; $0.1 \leq x \leq 1.0$) 42
G. Venturini (Vandoeuvre les Nancy, France)

Magnetoelasticity of UPtAl 51
A.V. Andreev, J. Kamarád (Prague, Czech Republic), F. Honda, G. Oomi (Fukuoka, Japan), V. Sechovský (Prague, Czech Republic) and Y. Shiokawa (Sendai, Japan)

Chemistry

Synthesis, structure and magnetic properties of a new hollandite: $Sr_{0.75}Rh_4O_8$ 56
J.R. Plaisier, A.A.C. van Vliet and D.J.W. IJdo (Leiden, The Netherlands)

The crystal structure and ionic conductivity of a novel indium and sodium phosphate $Na_3(InP_2O_7)_4PO_4$ 62
N.V. Stus, V.V. Lisnyak and P.G. Nagornyi (Kyiv, Ukraine)

X-ray powder diffraction and high-resolution electron microscopy studies of new intergrowth compounds between $Ba(Nb,Zr)O_3$ and NbO 67
G. Nilsson and G. Svensson (Stockholm, Sweden)

Reactions of plutonium dioxide with water and hydrogen–oxygen mixtures: Mechanisms for corrosion of uranium and plutonium 78
J.M. Haschke (Golden, CO, USA), T.H. Allen and L.A. Morales (Los Alamos, NM, USA)

The tin-rich part of the Au–Pt–Sn system 92
A.N. Torgersen, L. Offernes, A. Kjekshus and A. Olsen (Oslo, Norway)

Thermodynamic stability of Cs_2ZrO_3 by Knudsen effusion technique 96
M. Ali (Basu), R. Mishra, S.R. Bharadwaj, A.S. Kerkar, K.N.G. Kaimal, S.C. Kumar and D. Das (Mumbai, India)

The heat capacities of titanium silicides Ti_5Si_3, TiSi and $TiSi_2$ 99
S. Agarwal, E.J. Cotts, S. Zarembo, R. Kematick and C. Myers (Binghamton, NY, USA)

Mechanochemical milling-induced reactions between gases and sulfide minerals: II. Reactions of CO_2 with arsenopyrite, pyrrhotite and pyrite 103
M.G. Aylmore and F.J. Lincoln (Nedlands, Australia)

Elsevier Science B.V.

Size or polarisability effects? A comparative study of $TlCu_3S_2$ and $TlCu_3Se_2$ . . . 114
L. Norén (Canberra, Australia), K. Larsson (Uppsala, Sweden), R.G. Delaplane (Nyköping, Sweden) and R. Berger (Uppsala, Sweden)

Phase-structural characteristics of $(Ti_{1-x}Zr_x)_4Ni_2O_{0.5}$ alloys and their hydrogen gas and electrochemical absorption–desorption properties . . . 124
I. Zavaliy (Lviv, Ukraine), G. Wojcik, G. Mlynarek (Poznan, Poland), I. Saldan (Lviv, Ukraine), V. Yartys (Lviv, Ukraine and Kjeller, Norway) and M. Kopczyk (Poznan, Poland)

Structure and physical properties of CeSbTe . . . 132
Y.C. Wang, K.M. Poduska, R. Hoffmann and F.J. DiSalvo (Ithaca, NY, USA)

Pyrochlore-free $Pb(Mg_{1/3}Nb_{2/3})O_3$ prepared by a combination of the partial oxalate and the polymerized complex methods . . 140
E.R. Camargo, M. Kakihana (Yokohama, Japan), E. Longo and E.R. Leite (São Carlos, Brazil)

Crystallography of potassium aluminate $K_2O{\cdot}Al_2O_3$ . . . 147
A.P. de Kroon, G.W. Schäfer and F. Aldinger (Stuttgart, Germany)

Preparation and crystal structure of the novel decagonal approximant $Mn_{123}Ga_{137}$ . . . 154
M. Boström and S. Hovmöller (Stockholm, Sweden)

Metallurgy

Review article

Enthalpies of dissolution of elements in liquid tin. II. Transition, alkali and alkaline-earth metals . . . 160
A. Yassin (Baghdad, Iraq and Marseille, France) and R. Castanet (Marseille, France)

Isothermal section of the Pr–Ag–Ge phase diagram at 873 K and crystal structure of new ternary germanides . . . 167
I.A. Savysyuk, E.I. Gladyshevskii and R.E. Gladyshevskii (L'viv, Ukraine)

Effect of hydrogen on $Zr_{65}Cu_{17.5}Al_{7.5}Ni_{10}$ metallic glass . . . 170
N. Ismail, A. Gebert, M. Uhlemann, J. Eckert and L. Schultz (Dresden, Germany)

$Dy_{117}Co_{57}Sn_{112}$, a new structure type of ternary intermetallic stannides with a giant unit cell . . . 177
P. Salamakha (Ibaraki, Japan and Parma, Italy), O. Sologub (Higashi-Hiroshima, Japan), G. Bocelli (Parma, Italy), S. Otani (Ibaraki, Japan) and T. Takabatake (Higashi-Hiroshima, Japan)

Resistivity study and computer modelling of the isothermal transformation kinetics of Ti–6Al–4V and Ti–6Al–2Sn–4Zr–2Mo–0.08Si alloys . . . 181
S. Malinov (Belfast, UK), P. Markovsky (Kiev, Ukraine), W. Sha and Z. Guo (Belfast, UK)

Effect of temperature on the surface properties of Cu–Sn liquid alloys . . . 193
L.C. Prasad and A. Mikula (Vienna, Austria)

Thermodynamic investigation in In–Sb, Sb–Sn and In–Sb–Sn liquid systems . . . 198
V. Vassiliev, Y. Feutelais, M. Sghaier and B. Legendre (Châtenay-Malabry, France)

Crystal structure of $RCu_{5-x}Pb_x$ (R=Y, Gd, Tb, Dy, Ho, Er, Tm, Lu) phases . . . 206
L.D. Gulay (Wrocław, Poland)

Investigation of the phase relations in Dy–Cu–Pb system at 870 K . . . 209
L.D. Gulay, J. Stępień-Damm and M. Wołcyrz (Wrocław, Poland)

Calculated phase diagram of the Ni–Mo–B ternary system . . . 212
M. Morishita, K. Koyama, S. Yagi and G. Zhang (Himeji, Japan)

Crystal structure of RAgPb (R=Y, Er, Tm, Lu) compounds . . . 219
L.D. Gulay (Wrocław, Poland)

Materials Science

Effect of Ni encapsulation on the properties of Ti–Zr-based hydrogen storage alloys . . . 224
H.J. Chuang (Lung-Tan and Taipei, Taiwan) and S.L.I. Chan (Taipei, Taiwan)

Evaluation of residual stresses and plastic deformations for iron-based materials by leakage magnetic flux sensors . . . 232
M. Kuroda, S. Yamanaka (Osaka, Japan), K. Yamada (Saitama, Japan) and Y. Isobe (Osaka, Japan)

Mechanical activation effect on the self-sustaining combustion reaction in the Mo–Si system . . . 240
Ch. Gras (Belfort and Dijon, France), D. Vrel (Villetaneuse, France), E. Gaffet (Belfort, France) and F. Bernard (Dijon, France)

A correlation between intrinsic coercivity–electrical conductivity–thermal treatment in a $Nd_{11.9}MM_{2.9}Fe_{73.9}Co_{3.3}Ni_{1.1}B_{6.9}$-type magnet 251
H.R. Madaah-Hosseini (Tehran, Iran), A. Kianvash (Tabriz, Iran), H. Yoozbashi-Zadeh and M. Seyyed-Reihani (Tehran, Iran)

Effect of substitutional elements on the hydrogen absorption–desorption properties of Ti_3Al compounds 257
K. Ishikawa, K. Hashi (Hokkaido, Japan), K. Suzuki (Sydney, Australia) and K. Aoki (Hokkaido, Japan)

Microstructure and soft magnetic properties of nanocrystalline Fe–Si powders 262
J. Ding, Y. Li, L.F. Chen, C.R. Deng, Y. Shi, Y.S. Chow and T.B. Gang (Singapore, Singapore)

A study on damping behaviour of aluminite particulate reinforced ZA-27 alloy metal matrix composites 268
S. Sastry, M. Krishna (Bangalore, India) and J. Uchil (Mangalore, India)

Structural and hydriding properties of the intermetallic $Y_{1-x}Ni_2$ synthesized by mechanical alloying or submitted to mechanical grinding 275
M. Nakhl, B. Chevalier, J.-L. Bobet and B. Darriet (Pessac, France)

The conductivity of $PrGaO_3$-based perovskite oxides 281
Z. Liu, L. Cong, X. Huang, Z. Lü (Changchun, China) and W. Su (Changchun and Shenyang, China)

Mechanical solid-state reduction of haematite with magnesium 286
M. Sherif El-Eskandarany, H.N. El-Bahnasawy (Cairo, Egypt), H.A. Ahmed (Giza, Egypt) and N.A. Eissa (Cairo, Egypt)

Deuterofullerene $C_{60}D_{24}$ studied by XRD, IR and XPS 296
B.P. Tarasov, Yu.M. Shul'ga, V.N. Fokin, V.N. Vasilets (Chernogolovka, Russia), N.Yu. Shul'ga (Dolgoprudnyi, Russia), D.V. Schur (Kyiv, Ukraine) and V.A. Yartys (Lviv, Ukraine and Kjeller, Norway)

The ternary system Sm_2O_3–SrO–CuO: compounds and phase relations 301
C.Q. Han, X.L. Chen (Beijing, People's Republic of China), J.K. Liang (Beijing and Shenyang, People's Republic of China), Q.L. Liu and G.H. Rao (Beijing, People's Republic of China)

Corrosion protection of nanocomposite Nd–Fe–B/α-Fe magnets 305
J. Jakubowicz (Poznan, Poland)

Author Index of Volume 314 309

Subject Index of Volume 314 310

Keyword list